

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	272	(STI or (shallow adj trench)) and ((threshold adj voltage) or "T.sub.v") and (widths with (different or var\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 19:15
L2	263	L1 and gate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 19:15
L3	255	L2 and transistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 19:15
L4	177	L3 and ((active area or channel) with width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 19:15
L5	30	4 and (volt same ("T.sub.v" or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 19:16
L6	26	("4474624"   "4593459"   "4633290"   "4651406"   "4746963"   "4752589"   "4830975"   "5011788"   "5057449"   "5141888"   "5200348"   "5254489"   "5306940"   "5319235"   "5455438"   "5457339"   "5468677"   "5567645"   "5578860"   "5691217"   "5696459"   "5726093"   "5728622"   "6009023"   "6080682"   "6353253").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/12 19:18
L7	12	6 and threshold adj voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/12 19:19
L8	1	7 and STI	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/12 19:29

L9	56	("20010012664" "20020020106" "20040188777" "20040214355" "4987093" "5111069" "5130268" "5410176" "5422507" "5447884" "5498565" "5665202" "5691215" "5702976" "5717635" "5721172" "5721173" "5728621" "5732014" "5817567" "5821591" "5851899" "5851900" "5866934" "5869396" "5872043" "5880007" "5897351" "5923993" "5950091" "6001740" "6048771" "6048775" "6057207" "6057210" "6071792" "6124183" "6133098" "6159822" "6180458" "6191446" "6228713" "6261914" "6278295" "6281082" "6329251" "6426534" "6436751" "6492693" "6501114" "6545904" "6620704" "6649461" "6734487" "6770927" "6834019").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/12 19:29
L10	29	9 and STI	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/12 19:29
L11	10	10 and (threshold adj voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/12 19:29
S1	2700	(STI or (shallow adj trench)) and ((threshold adj voltage) or "T.sub.v") and widths	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 18:53
S2	272	(STI or (shallow adj trench)) and ((threshold adj voltage) or "T.sub.v") and widths with (different or var\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 18:53
S3	272	(STI or (shallow adj trench)) and ((threshold adj voltage) or "T.sub.v") and (widths with (different or var\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 18:53
S4	263	S3 and gate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 18:53

S5	255	S4 and transistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 18:54
S6	177	S5 and ((active area or channel) with width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 19:15
S7	2	"6674134"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/12 19:02